

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
 Revision Date: 04/09/2024 Date of Issue: 01/05/2014

Version: 5.0

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product Identifier

Product Form Mixture  
 Product Name CF1-141  
 Synonyms Silicone Primer

### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

#### 1.2.1. Relevant Identified Uses

Use of the Substance/Mixture For professional use only.

#### 1.2.2. Uses Advised Against

Uses Advised Against No additional information available.

### 1.3. Details of the Supplier of the Safety Data Sheet

NuSil Technology Europe  
 1198 Avenue Maurice Donat  
 Le Natura Bt. 2  
 06250 Mougins  
 France  
 +33 4 92 96 93 31  
[productstewardship@avantorsciencesgcc.com](mailto:productstewardship@avantorsciencesgcc.com)  
[www.nusil.com](http://www.nusil.com)

### 1.4. Emergency Telephone Number

Emergency Number +1 703-527-3887 CHEMTREC (International and Maritime), 800-424-9300  
 CHEMTREC (in US)  
 +(44)-870-8200418  
 +(353)-19014670

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

#### Classification According to Regulation (EC) No. 1272/2008

Flam. Liq. 2 H225  
 Eye Dam. 1 H318  
 STOT SE 3 H336

Full text of hazard classes and H-statements: see section 16

### 2.2. Label Elements

#### Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard Pictograms (CLP)



Signal Word (CLP)

Danger

Hazard Statements (CLP)

H225 - Highly flammable liquid and vapour.  
 H318 - Causes serious eye damage.  
 H336 - May cause drowsiness or dizziness.

Precautionary Statements (CLP)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

# CF1-141

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P233 - Keep container tightly closed.  
P240 - Ground and bond container and receiving equipment.  
P241 - Use explosion-proof electrical, ventilating, lighting equipment.  
P242 - Use non-sparking tools.  
P243 - Take action to prevent static discharges.  
P261 - Avoid breathing mist, spray, vapours.  
P271 - Use only outdoors or in a well-ventilated area.  
P280 - Wear eye protection, face protection, protective gloves, protective clothing.  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTRE or doctor.  
P370+P378 - In case of fire: Use appropriate media to extinguish.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P405 - Store locked up.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other Hazards

Other Hazards Not Contributing to the Classification Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

This substance/mixture does not meet the PBT/vPvB criteria of REACH regulation, annex XIII

The substance/mixture does not contain substance(s) equal to or greater than 0.1% by weight that are present in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product Identifier	%	Classification According to Regulation (EC) No. 1272/2008
Isopropyl alcohol substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, LT, LV, PL, PT, RO, SE, SI, SK, NO, CH)	(CAS-No.) 67-63-0 (EC-No.) 200-661-7	70 - 90	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
1-Butanol, titanium(4+) salt	(CAS-No.) 5593-70-4 (EC-No.) 227-006-8	< 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H336 STOT SE 3, H335
Platinum Catalyst	(CAS-No.) 68478-92-2	< 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335

# CF1-141

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

1-Butanol substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, LT, LV, PL, PT, RO, SE, SI, SK, NO, CH)	(CAS-No.) 71-36-3 (EC-No.) 200-751-6	<1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H336 STOT SE 3, H335
---	---	----	--

Full text of H-statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First-aid Measures

First-Aid Measures General	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-Aid Measures After Inhalation	When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
First-Aid Measures After Skin Contact	Immediately drench affected area with water for at least 15 minutes. Immediately remove contaminated clothing. Obtain medical attention if irritation develops or persists.
First-Aid Measures After Eye Contact	Immediately rinse with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-Aid Measures After Ingestion	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Effects	Causes serious eye damage. May cause drowsiness and dizziness.
Symptoms/Effects After Inhalation	High concentrations may cause central nervous system depression such as dizziness, vomiting, numbness, drowsiness, headache, and similar narcotic symptoms.
Symptoms/Effects After Skin Contact	Prolonged exposure may cause skin irritation.
Symptoms/Effects After Eye Contact	Causes permanent damage to the cornea, iris, or conjunctiva.
Symptoms/Effects After Ingestion	Ingestion may cause adverse effects.
Chronic Symptoms	None expected under normal conditions of use.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing Media

Suitable Extinguishing Media	Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO <sub>2</sub> ). Water may be ineffective but water should be used to keep fire-exposed container cool.
Unsuitable Extinguishing Media	Do not use a heavy water stream. A heavy water stream may spread burning liquid. Application of water stream to hot product may cause frothing and increase fire intensity.

# CF1-141

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard	Highly flammable liquid and vapour. Vapours are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapours.
Explosion Hazard	May form flammable or explosive vapour-air mixture.
Reactivity	Reacts violently with strong oxidisers. Increased risk of fire or explosion. Hydrolyzes in water to form n-butanol and titanium dioxide.
Hazardous Combustion Products	Carbon oxides (CO, CO <sub>2</sub> ). Silicon oxides. Hydrocarbons. Metal oxides. May release flammable gases.

### 5.3. Advice for Firefighters

Precautionary Measures Fire	Exercise caution when fighting any chemical fire.
Firefighting Instructions	Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
Protection During Firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures	Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to avoid static electric charges. Do not breathe vapour, mist or spray. Do not get in eyes, on skin, or on clothing.
------------------	---

#### 6.1.1. For Non-Emergency Personnel

Protective Equipment	Use appropriate personal protective equipment (PPE).
Emergency Procedures	Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.1.2. For Emergency Responders

Protective Equipment	Equip cleanup crew with proper protection.
Emergency Procedures	Eliminate ignition sources first, then ventilate the area. Upon arrival at the scene, a first responder is expected to recognise the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and Materials for Containment and Cleaning Up

For Containment	As an immediate precautionary measure, isolate spill or leak area in all directions. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for Cleaning Up	Clean up spills immediately and dispose of waste safely. Use only non-sparking tools. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw dust or cellulosic material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

# CF1-141

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for Safe Handling

Additional Hazards When Processed	Handle empty containers with care because residual vapours are flammable.
Precautions for Safe Handling	Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing (vapour, mist, spray). Do not get in eyes, on skin, or on clothing. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety procedures.

#### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures	Comply with applicable regulations. Take action to prevent static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment.
Storage Conditions	Store in accordance with applicable national storage class systems. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area. Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof place.
Incompatible Materials	Strong acids, strong bases, strong oxidisers.

#### 7.3. Specific End Use(s)

For professional use only.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control Parameters

Please see section 16 for the legal basis of limit value information in section 8.1, including the national legislation or provision which gives rise to a given limit.

Isopropyl alcohol (67-63-0)		
Austria	OEL TWA (Legal Basis:BGBl. II Nr. 254/2018)	500 mg/m <sup>3</sup>
Austria	OEL TWA (Legal Basis:BGBl. II Nr. 254/2018)	200 ppm
Austria	OEL STEL (Legal Basis:BGBl. II Nr. 254/2018)	2000 mg/m <sup>3</sup> 2000 mg/m <sup>3</sup> (STEL for large casting valid until December 31, 2013)
Austria	OEL STEL (Legal Basis:BGBl. II Nr. 254/2018)	800 ppm 800 ppm (STEL for large casting valid until December 31, 2013)
Austria	OEL Chemical Category (Legal Basis:BGBl. II Nr. 254/2018)	Group C Carcinogen by manufacturing of strong Acid process, Group C Carcinogen by manufacturing of strong Acid process
Belgium	OEL TWA (Legal Basis:Royal Decree 21/01/2020)	500 mg/m <sup>3</sup>
Belgium	OEL TWA (Legal Basis:Royal Decree 21/01/2020)	200 ppm
Belgium	OEL STEL (Legal Basis:Royal Decree 21/01/2020)	1000 mg/m <sup>3</sup>
Belgium	OEL STEL (Legal Basis:Royal Decree 21/01/2020)	400 ppm
Bulgaria	OEL TWA (Legal Basis:Reg. No. 13/10)	980 mg/m <sup>3</sup>
Bulgaria	OEL STEL (Legal Basis:Reg. No. 13/10)	1225 mg/m <sup>3</sup>
Croatia	OEL TWA (Legal Basis:OG No. 91/2018)	999 mg/m <sup>3</sup>
Croatia	OEL TWA (Legal Basis:OG No. 91/2018)	400 ppm
Croatia	OEL STEL (Legal Basis:OG No. 91/2018)	1250 mg/m <sup>3</sup>
Croatia	OEL STEL (Legal Basis:OG No. 91/2018)	500 ppm

# CF1-141

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Croatia	OEL BLV (Legal Basis:OG No. 91/2018)	50 mg/l Parameter: Acetone - Medium: blood - Sampling time: at the end of the work shift 50 mg/l Parameter: Acetone - Medium: urine - Sampling time: at the end of the work shift
Czech Republic	OEL TWA (Legal Basis:Reg. 41/2020)	500 mg/m <sup>3</sup>
Czech Republic	OEL Chemical Category (Legal Basis:Decree No. 107/2013)	Potential for cutaneous absorption
Denmark	OEL TWA (Legal Basis:BEK No. 698 of 28/05/2020)	490 mg/m <sup>3</sup>
Denmark	OEL TWA (Legal Basis:BEK No. 698 of 28/05/2020)	200 ppm
Estonia	OEL TWA (Legal Basis:Regulation No. 105)	350 mg/m <sup>3</sup>
Estonia	OEL TWA (Legal Basis:Regulation No. 105)	150 ppm
Estonia	OEL STEL (Legal Basis:Regulation No. 105)	600 mg/m <sup>3</sup>
Estonia	OEL STEL (Legal Basis:Regulation No. 105)	250 ppm
Finland	OEL TWA (Legal Basis:HTP-ARVOT 2020)	500 mg/m <sup>3</sup> (Propanol)
Finland	OEL TWA (Legal Basis:HTP-ARVOT 2020)	200 ppm (Propanol)
Finland	OEL STEL (Legal Basis:HTP-ARVOT 2020)	620 mg/m <sup>3</sup>
Finland	OEL STEL (Legal Basis:HTP-ARVOT 2020)	250 ppm
France	OEL STEL (Legal Basis:INRS ED 984)	980 mg/m <sup>3</sup>
France	OEL STEL (Legal Basis:INRS ED 984)	400 ppm
Germany	OEL TWA (Legal Basis:TRGS 900)	500 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	OEL TWA (Legal Basis:TRGS 900)	200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	OEL BLV (Legal Basis:TRGS 903)	25 mg/l Parameter: Acetone - Medium: whole blood - Sampling time: end of shift 25 mg/l Parameter: Acetone - Medium: urine - Sampling time: end of shift
Greece	OEL TWA (Legal Basis:PWHE)	980 mg/m <sup>3</sup>
Greece	OEL TWA (Legal Basis:PWHE)	400 ppm
Greece	OEL STEL (Legal Basis:PWHE)	1225 mg/m <sup>3</sup>
Greece	OEL STEL (Legal Basis:PWHE)	500 ppm
Hungary	OEL TWA (Legal Basis:Decree No. 05/2020)	500 mg/m <sup>3</sup>
Hungary	OEL STEL (Legal Basis:Decree No. 05/2020)	1000 mg/m <sup>3</sup>
Hungary	OEL Chemical Category (Legal Basis:Decree No. 05/2020)	Potential for cutaneous absorption
Ireland	OEL TWA (Legal Basis:2020 COP)	200 ppm
Ireland	OEL STEL (Legal Basis:2020 COP)	400 ppm
Ireland	OEL Chemical Category (Legal Basis:Decree No. 05/2020)	Potential for cutaneous absorption
USA ACGIH	OEL TWA (Legal Basis:IMDFN1)	200 ppm
USA ACGIH	OEL STEL (Legal Basis:IMDFN1)	400 ppm
USA ACGIH	BEI Value (Legal Basis:IMDFN1)	40 mg/l Parameter: Acetone - Medium: urine - Sampling time: end of shift at end of workweek (background, nonspecific)
Latvia	OEL TWA (Legal Basis:Reg. No. 325)	350 mg/m <sup>3</sup>
Lithuania	OEL TWA (Legal Basis:HN 23:2011)	350 mg/m <sup>3</sup>
Lithuania	OEL TWA (Legal Basis:HN 23:2011)	150 ppm
Lithuania	OEL STEL (Legal Basis:HN 23:2011)	600 mg/m <sup>3</sup>
Lithuania	OEL STEL (Legal Basis:A-N 684)	250 ppm
Norway	OEL TWA (Legal Basis:FOR-2020-04-06-695)	245 mg/m <sup>3</sup>
Norway	OEL TWA (Legal Basis:FOR-2020-04-06-695)	100 ppm
Norway	OEL STEL (Legal Basis:FOR-2020-04-06-695)	306,25 mg/m <sup>3</sup> (value calculated)
Norway	OEL STEL (Legal Basis:FOR-2020-04-06-695)	150 ppm (value calculated)
Poland	OEL TWA (Legal Basis:Dz. U. 2020 Nr. 61)	900 mg/m <sup>3</sup>
Poland	OEL TWA (Legal Basis:Dz. U. 2020 Nr. 61)	1200 mg/m <sup>3</sup>
Portugal	OEL TWA (Legal Basis:Portuguese Norm NP 1796:2014)	200 ppm
Portugal	OEL STEL (Legal Basis:Portuguese Norm NP 1796:2014)	400 ppm
Portugal	OEL Chemical Category (Legal Basis:Portuguese Norm NP 1796:2014)	A4 - Not Classifiable as a Human Carcinogen
Romania	OEL TWA (Legal Basis:Gov. Dec. No 1.218)	200 mg/m <sup>3</sup>

# CF1-141

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Romania	OEL TWA (Legal Basis:Gov. Dec. No 1.218)	81 ppm
Romania	OEL STEL (Legal Basis:Gov. Dec. No 1.218)	500 mg/m <sup>3</sup>
Romania	OEL STEL (Legal Basis:Gov. Dec. No 1.218)	203 ppm
Romania	OEL BLV (Legal Basis:Gov. Dec. No 1.218)	50 mg/l Parameter: Acetone - Medium: urine - Sampling time: end of shift
Slovakia	OEL TWA (Legal Basis:Gov. Decree 33/2018)	500 mg/m <sup>3</sup>
Slovakia	OEL TWA (Legal Basis:Gov. Decree 33/2018)	200 ppm
Slovakia	OEL STEL (Legal Basis:Gov. Decree 33/2018)	1000 mg/m <sup>3</sup>
Slovenia	OEL TWA (Legal Basis:No. 79/19)	500 mg/m <sup>3</sup>
Slovenia	OEL TWA (Legal Basis:No. 79/19)	200 ppm
Slovenia	OEL STEL (Legal Basis:No. 79/19)	1000 mg/m <sup>3</sup>
Slovenia	OEL STEL (Legal Basis:No. 79/19)	400 ppm
Spain	OEL TWA (Legal Basis:OELCAIS)	500 mg/m <sup>3</sup> (partial or complete commercialization or use of this substance as a phytosanitary or biocide compound is prohibited)
Spain	OEL TWA (Legal Basis:OELCAIS)	200 ppm (partial or complete commercialization or use of this substance as a phytosanitary or biocide compound is prohibited)
Spain	OEL STEL (Legal Basis:OELCAIS)	1000 mg/m <sup>3</sup>
Spain	OEL STEL (Legal Basis:OELCAIS)	400 ppm
Spain	OEL BLV (Legal Basis:OELCAIS)	40 mg/l Parameter: Acetone - Medium: urine - Sampling time: end of workweek
Sweden	OEL TLV (Legal Basis:AFS 2018:1)	350 mg/m <sup>3</sup>
Sweden	OEL TLV (Legal Basis:AFS 2018:1)	150 ppm
Sweden	OEL STEL (Legal Basis:AFS 2018:1)	600 mg/m <sup>3</sup>
Sweden	OEL STEL (Legal Basis:AFS 2018:1)	250 ppm
Switzerland	OEL STEL (Legal Basis:OLVSNAIF)	1000 mg/m <sup>3</sup>
Switzerland	OEL STEL (Legal Basis:OLVSNAIF)	400 ppm
Switzerland	OEL TWA (Legal Basis:OLVSNAIF)	500 mg/m <sup>3</sup>
Switzerland	OEL TWA (Legal Basis:OLVSNAIF)	200 ppm
Switzerland	OEL BLV (Legal Basis:OLVSNAIF)	25 mg/l Parameter: Acetone - Medium: urine - Sampling time: end of shift 25 mg/l Parameter: Acetone - Medium: whole blood - Sampling time: end of shift
1-Butanol (71-36-3)		
Austria	OEL TWA (Legal Basis:BGBl. II Nr. 254/2018)	150 mg/m <sup>3</sup> (Butanol, all isomers)
Austria	OEL TWA (Legal Basis:BGBl. II Nr. 254/2018)	50 ppm (Butanol, all isomers)
Austria	OEL STEL (Legal Basis:BGBl. II Nr. 254/2018)	600 mg/m <sup>3</sup> (Butanol, all isomers)
Austria	OEL STEL (Legal Basis:BGBl. II Nr. 254/2018)	200 ppm (Butanol, all isomers)
Belgium	OEL TWA (Legal Basis:Royal Decree 21/01/2020)	62 mg/m <sup>3</sup>
Belgium	OEL TWA (Legal Basis:Royal Decree 21/01/2020)	20 ppm
Belgium	OEL Chemical Category (Legal Basis:Royal Decree 21/01/2020)	Skin
Bulgaria	OEL TWA (Legal Basis:Reg. No. 13/10)	100 mg/m <sup>3</sup>
Bulgaria	OEL STEL (Legal Basis:Reg. No. 13/10)	150 mg/m <sup>3</sup>
Croatia	OEL STEL (Legal Basis:OG No. 91/2018)	154 mg/m <sup>3</sup>
Croatia	OEL STEL (Legal Basis:OG No. 91/2018)	50 ppm
Croatia	OEL Chemical Category (Legal Basis:OG No. 91/2018)	Skin notation
Czech Republic	OEL TWA (Legal Basis:Reg. 41/2020)	300 mg/m <sup>3</sup>
Czech Republic	OEL Chemical Category (Legal Basis:Decree No. 107/2013)	Potential for cutaneous absorption
Denmark	OEL Ceiling (Legal Basis:BEK No. 698 of 28/05/2020)	150 mg/m <sup>3</sup> (Butanol, all isomers)
Denmark	OEL Ceiling (Legal Basis:BEK No. 698 of 28/05/2020)	50 ppm (Butanol, all isomers)
Denmark	OEL Chemical Category (Legal Basis:BEK No. 698 of 28/05/2020)	Potential for cutaneous absorption
Estonia	OEL TWA (Legal Basis:Regulation No. 105)	45 mg/m <sup>3</sup>
Estonia	OEL TWA (Legal Basis:Regulation No. 105)	15 ppm
Estonia	OEL STEL (Legal Basis:Regulation No. 105)	90 mg/m <sup>3</sup>
Estonia	OEL STEL (Legal Basis:Regulation No. 105)	30 ppm

# CF1-141

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Estonia	OEL Chemical Category (Legal Basis:Regulation No. 105)	Skin notation
Finland	OEL TWA (Legal Basis:HTP-ARVOT 2020)	150 mg/m <sup>3</sup> (Butanol)
Finland	OEL TWA (Legal Basis:HTP-ARVOT 2020)	50 ppm (Butanol)
Finland	OEL STEL (Legal Basis:HTP-ARVOT 2020)	230 mg/m <sup>3</sup> (Butanol)
Finland	OEL STEL (Legal Basis:HTP-ARVOT 2020)	75 ppm (Butanol)
Finland	OEL Chemical Category HTP-ARVOT 2020)	Potential for cutaneous absorption
France	OEL STEL (Legal Basis:INRS ED 984)	150 mg/m <sup>3</sup>
France	OEL STEL (Legal Basis:INRS ED 984)	50 ppm
Germany	OEL TWA (Legal Basis:TRGS 900)	310 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	OEL TWA (Legal Basis:TRGS 900)	100 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	OEL BLV (Legal Basis:TRGS 903)	10 mg/g creatinine Parameter: 1-Butanol (after hydrolysis) - Medium: urine - Sampling time: end of shift 2 mg/g creatinine Parameter: 1-Butanol (after hydrolysis) - Medium: urine - Sampling time: before beginning of next shift
Greece	OEL TWA (Legal Basis:PWHE)	300 mg/m <sup>3</sup>
Greece	OEL TWA (Legal Basis:PWHE)	100 ppm
Greece	OEL STEL (Legal Basis:PWHE)	300 mg/m <sup>3</sup>
Greece	OEL STEL (Legal Basis:PWHE)	100 ppm
Greece	OEL Chemical Category (Legal Basis:PWHE)	skin - potential for cutaneous absorption
Hungary	OEL TWA (Legal Basis:Decree No. 05/2020)	45 mg/m <sup>3</sup>
Hungary	OEL STEL (Legal Basis:Decree No. 05/2020)	90 mg/m <sup>3</sup>
Hungary	OEL Chemical Category (Legal Basis:Decree No. 05/2020)	Potential for cutaneous absorption
Ireland	OEL TWA (Legal Basis:2020 COP)	20 ppm
Ireland	OEL STEL (Legal Basis:2020 COP)	60 ppm (calculated)
Ireland	OEL Chemical Category (Legal Basis:Decree No. 05/2020)	Potential for cutaneous absorption
USA ACGIH	OEL TWA (Legal Basis:IMDFN1)	20 ppm
Latvia	OEL TWA (Legal Basis:Reg. No. 325)	10 mg/m <sup>3</sup> (Butyl alcohols)
Lithuania	OEL TWA (Legal Basis:HN 23:2011)	45 mg/m <sup>3</sup>
Lithuania	OEL TWA (Legal Basis:HN 23:2011)	15 ppm
Lithuania	OEL Ceiling (Legal Basis:HN 23:2011)	90 mg/m <sup>3</sup>
Lithuania	OEL Ceiling (Legal Basis:HN 23:2011)	30 ppm
Lithuania	OEL Chemical Category (Legal Basis:HN 23:2011)	Skin notation
Norway	OEL Ceiling (Legal Basis:FOR-2020-04-06-695)	75 mg/m <sup>3</sup>
Norway	OEL Ceiling (Legal Basis:FOR-2020-04-06-695)	25 ppm
Norway	OEL Chemical Category (Legal Basis:FOR-2020-04-06-695)	Skin notation
Poland	OEL TWA (Legal Basis:Dz. U. 2020 Nr. 61)	50 mg/m <sup>3</sup>
Poland	OEL TWA (Legal Basis:Dz. U. 2020 Nr. 61)	150 mg/m <sup>3</sup>
Portugal	OEL TWA (Legal Basis:Portuguese Norm NP 1796:2014)	20 ppm
Romania	OEL TWA (Legal Basis:Gov. Dec. No 1.218)	100 mg/m <sup>3</sup>
Romania	OEL TWA (Legal Basis:Gov. Dec. No 1.218)	33 ppm
Romania	OEL STEL (Legal Basis:Gov. Dec. No 1.218)	200 mg/m <sup>3</sup>
Romania	OEL STEL (Legal Basis:Gov. Dec. No 1.218)	66 ppm
Slovakia	OEL TWA (Legal Basis:Gov. Decree 33/2018)	310 mg/m <sup>3</sup>
Slovakia	OEL TWA (Legal Basis:Gov. Decree 33/2018)	100 ppm
Slovakia	OEL STEL (Legal Basis:Gov. Decree 33/2018)	310 mg/m <sup>3</sup>
Slovakia	OEL BLV (Legal Basis:Gov. Decree 33/2018)	2 mg/g creatinine Parameter: n-Butyl alcohol - Medium: urine - Sampling time: after all work shifts (for long-term exposure) 10 mg/g creatinine Parameter: n-Butyl alcohol - Medium: urine - Sampling time: end of exposure or work shift
Slovenia	OEL TWA (Legal Basis:No. 79/19)	310 mg/m <sup>3</sup>
Slovenia	OEL TWA (Legal Basis:No. 79/19)	100 ppm
Slovenia	OEL STEL (Legal Basis:No. 79/19)	310 mg/m <sup>3</sup>



# CF1-141

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Slovenia	OEL STEL (Legal Basis:No. 79/19)	100 ppm
Spain	OEL TWA (Legal Basis:OELCAIS)	61 mg/m <sup>3</sup>
Spain	OEL TWA (Legal Basis:OELCAIS)	20 ppm
Spain	OEL STEL (Legal Basis:OELCAIS)	154 mg/m <sup>3</sup>
Spain	OEL STEL (Legal Basis:OELCAIS)	50 ppm
Sweden	OEL TLV (Legal Basis:AFS 2018:1)	45 mg/m <sup>3</sup>
Sweden	OEL TLV (Legal Basis:AFS 2018:1)	15 ppm
Sweden	OEL STEL (Legal Basis:AFS 2018:1)	90 mg/m <sup>3</sup>
Sweden	OEL STEL (Legal Basis:AFS 2018:1)	30 ppm
Sweden	OEL Chemical Category (Legal Basis:AFS 2018:1)	Skin notation
Switzerland	OEL STEL (Legal Basis:OLVSNAIF)	310 mg/m <sup>3</sup>
Switzerland	OEL STEL (Legal Basis:OLVSNAIF)	100 ppm
Switzerland	OEL TWA (Legal Basis:OLVSNAIF)	310 mg/m <sup>3</sup>
Switzerland	OEL TWA (Legal Basis:OLVSNAIF)	100 ppm
Switzerland	OEL BLV (Legal Basis:OLVSNAIF)	10 mg/g creatinine Parameter: n-Butanol - Medium: urine - Sampling time: end of shift 2 mg/g creatinine Parameter: n-Butanol - Medium: urine

### 8.2. Exposure Controls

Appropriate Engineering Controls

Ensure adequate ventilation, especially in confined areas. Use explosion-proof equipment. Proper grounding procedures to avoid static electricity should be followed. Gas detectors should be used when flammable gases or vapours may be released. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection. Personal protective equipment should be chosen in accordance with Regulation (EU) 2016/425, CEN standards, and in discussion with the supplier of the protective equipment.

Personal Protective Equipment



Materials for Protective Clothing

Chemically resistant materials and fabrics. Wear fire/flamm resistant/retardant clothing.

Hand Protection

Wear protective gloves.

Eye Protection

Chemical safety goggles.

Skin and Body Protection

Wear suitable protective clothing.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information

When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

Physical State

Liquid

Colour, Appearance

Red

Odour

Alcohol

Odour Threshold

No data available

pH

No data available

# CF1-141

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Evaporation Rate	No data available
Melting Point	No data available
Freezing Point	No data available
Boiling Point	82 °C (180 °F)
Flash Point	12 °C (53 °F)
Auto-Ignition Temperature	No data available
Decomposition Temperature	No data available
Flammability	Not applicable
Vapour Pressure	No data available
Relative Vapour Density At 20°C	No data available
Relative Density	< 1 (Water=1)
Solubility	No data available
Partition Coefficient n-Octanol/Water	No data available
Viscosity	No data available
Explosive Properties	No data available
Oxidising Properties	No data available
Explosive Limits	No data available
Particle Aspect Ratio	Not applicable
Particle Aggregation State	Not applicable
Particle Agglomeration State	Not applicable
Particle Specific Surface Area	Not applicable
Particle Dustiness	Not applicable

### 9.2. Other Information

VOC content 70 – 90 %

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Reacts violently with strong oxidisers. Increased risk of fire or explosion. Hydrolyzes in water to form n-butanol and titanium dioxide.

### 10.2. Chemical Stability

Highly flammable liquid and vapour. May form flammable or explosive vapour-air mixture.

### 10.3. Possibility of Hazardous Reactions

Hazardous polymerisation will not occur.

### 10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

### 10.5. Incompatible Materials

Strong acids, strong bases, strong oxidisers.

### 10.6. Hazardous Decomposition Products

By hydrolysis: n-butanol and titanium dioxide. Thermal decomposition may produce: Carbon oxides (CO, CO<sub>2</sub>). Silicon oxides. Hydrocarbons. Metal oxides. May release flammable gases.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information On Hazard Classes As Defined In Regulation (EC) No 1272/2008

Likely Routes of Exposure	Dermal, Ingestion, Inhalation, Eye contact
Acute Toxicity (Oral)	Not classified (Based on available data, the classification criteria are not met)

# CF1-141

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Acute Toxicity (Dermal)	Not classified (Based on available data, the classification criteria are not met)
Acute Toxicity (Inhalation)	Not classified (Based on available data, the classification criteria are not met)

Isopropyl alcohol (67-63-0)	
LD50 Oral Rat	1870 mg/kg (No deaths)
LD50 Oral	4384 mg/kg
LD50 Dermal Rabbit	12956 mg/kg (16.4 mL/kg bw)
LC50 Inhalation Rat	> 10000 ppm (Exposure time: 6 h)

1-Butanol, titanium(4+) salt (5593-70-4)	
LD50 Oral Rat	> 2000 mg/kg
LD50 Oral	3122 mg/kg

1-Butanol (71-36-3)	
LD50 Oral Rat	700 mg/kg
LD50 Oral	2100 mg/kg
LD50 Dermal Rabbit	3402 mg/kg
LD50 dermal	3400 mg/kg
LC50 Inhalation Rat	> 8000 ppm/4h

Skin Corrosion/Irritation	Not classified (Based on available data, the classification criteria are not met)
Eye Damage/Irritation	Causes serious eye damage.
Respiratory or Skin Sensitization	Not classified (Based on available data, the classification criteria are not met)
Germ Cell Mutagenicity	Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	Not classified (Based on available data, the classification criteria are not met)

Isopropyl alcohol (67-63-0)	
IARC Group	3

Reproductive Toxicity	Not classified (Based on available data, the classification criteria are not met)
Specific Target Organ Toxicity (Single Exposure)	May cause drowsiness or dizziness.
Specific Target Organ Toxicity (Repeated Exposure)	Not classified (Based on available data, the classification criteria are not met)
Aspiration Hazard	Not classified (Based on available data, the classification criteria are not met)
Symptoms/Injuries After Inhalation	High concentrations may cause central nervous system depression such as dizziness, vomiting, numbness, drowsiness, headache, and similar narcotic symptoms.
Symptoms/Injuries After Skin Contact	Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	Causes permanent damage to the cornea, iris, or conjunctiva.
Symptoms/Injuries After Ingestion	Ingestion may cause adverse effects.
Chronic Symptoms	None expected under normal conditions of use.

### 11.2. Information On Other Hazards

Based on available data this substance/the substances in this mixture not listed below do(es) not have endocrine disrupting properties with respect to humans as it does not meet the criteria set out in section A of Regulation (EU) No 2017/2100 and/or the criteria set out in Regulation (EU) 2018/605, or the substance(s) are not required to be disclosed.

# CF1-141

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Hazardous To The Aquatic Environment, Short-Term (Acute)

Not classified (Based on available data, the classification criteria are not met)

Hazardous To The Aquatic Environment, Long-Term (Chronic)

Not classified (Based on available data, the classification criteria are not met)

Isopropyl alcohol (67-63-0)	
LC50 - Fish [1]	9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 - Crustacea [1]	13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 - Other aquatic organisms [1]	1000 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)
LC50 - Fish [2]	11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Other aquatic organisms [2]	1000 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
1-Butanol, titanium(4+) salt (5593-70-4)	
EC50 - Crustacea [1]	680 mg/l
1-Butanol (71-36-3)	
LC50 - Fish [1]	1730 – 1910 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	1983 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [2]	1740 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 - Crustacea [2]	1897 – 2072 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
NOEC chronic crustacea	4,1 mg/l

#### 12.2. Persistence and Degradability

CF1-141	
Persistence and Degradability	Not established.

#### 12.3. Bioaccumulative Potential

CF1-141	
Bioaccumulative Potential	Not established.
Isopropyl alcohol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0,05 (at 25 °C)
1-Butanol (71-36-3)	
BCF Fish 1	(0,64 dimensionless)
Partition coefficient n-octanol/water (Log Pow)	1 at 25 °C (at pH 7)

#### 12.4. Mobility in Soil

No additional information available

#### 12.5. Results of PBT and vPvB Assessment

Does not contain any PBT/vPvB substances  $\geq$  0.1% assessed in accordance with REACH Annex XVIII

#### 12.6. Endocrine Disrupting Properties

Based on available data this substance/the substances in this mixture not listed below do(es) not have endocrine disrupting properties with respect to non-target organisms as it does not meet the criteria set out in section B of Regulation (EU) No 2017/2100 and/or the criteria set out in Regulation (EU) 2018/605, or the substance(s) are not required to be disclosed.

#### 12.7. Other Adverse Effects

Other Information

Avoid release to the environment.

### SECTION 13: DISPOSAL CONSIDERATIONS

# CF1-141

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878






### 13.1. Waste Treatment Methods

Product/Packaging Disposal Recommendations	Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.
Additional Information	Handle empty containers with care because residual vapours are flammable.
Ecology - Waste Materials	Avoid release to the environment.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN Number or ID Number</b>				
UN 1219	UN 1219	UN 1219	UN 1219	UN 1219
<b>14.2. UN Proper Shipping Name</b>				
ISOPROPANOL (ISOPROPYL ALCOHOL) Solution	ISOPROPANOL (ISOPROPYL ALCOHOL) Solution	Isopropanol Solution	ISOPROPANOL (ISOPROPYL ALCOHOL) Solution	ISOPROPANOL (ISOPROPYL ALCOHOL) Solution
<b>14.3. Transport Hazard Class(es)</b>				
3	3	3	3	3
				
<b>14.4. Packing Group</b>				
II	II	II	II	II
<b>14.5. Environmental Hazards</b>				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No

### 14.6. Special Precautions For User

No additional information available

### 14.7. Maritime Transport in Bulk According to IMO instruments

Not applicable

## SECTION 15: REGULATORY INFORMATION

# CF1-141

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

#### 15.1.1. EU-Regulations

##### 15.1.1.1. REACH Annex XVII Information

Contains no REACH substances with Annex XVII restrictions

##### 15.1.1.2. REACH Candidate List Information

Contains no substance(s) listed on the REACH Candidate List

##### 15.1.1.3. POP (2019/1021) - Persistent Organic Pollutants Information

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### 15.1.1.4. PIC Regulation EU (649/2012) - Export and Import of Hazardous Chemicals Information

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### 15.1.1.5. REACH Annex XIV Information

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### 15.1.1.6. Substances Depleting the Ozone layer (1005/2009) Information

No additional information available

##### 15.1.1.7. EC Inventory Information

No additional information available

##### 15.1.1.8. Other Information

No additional information available

#### 15.1.2. National Regulations

No additional information available

#### 15.1.3. International Inventory Lists

No additional information available

### 15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out

## SECTION 16: OTHER INFORMATION

Date of Preparation or Latest Revision 04/09/2024

Revision

Data Sources

Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.

Other Information

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full Text of H-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

# CF1-141

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Classification and Procedure Used to Derive the Classification for Mixtures According to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 2	On basis of test data
Eye Dam. 1	Calculation method
STOT SE 3	Calculation method

### Indication of Changes

Section	Change	Date Changed	Version
1	Language modified	04/09/2024	5.0
2	Language modified	04/09/2024	5.0
3	Data modified; Language modified	04/09/2024	5.0
4	Language modified	04/09/2024	5.0
5	Language modified	04/09/2024	5.0
6	Language modified	04/09/2024	5.0
7	Language modified	04/09/2024	5.0
8	Data modified; Language modified	04/09/2024	5.0
9	Data modified	04/09/2024	5.0
10	Language modified	04/09/2024	5.0
11	Data modified; Language modified	04/09/2024	5.0
12	Data modified; Language modified	04/09/2024	5.0
13	Language modified	04/09/2024	5.0
14	Language modified	04/09/2024	5.0
15	Language modified	04/09/2024	5.0
16	Language modified	04/09/2024	5.0

### Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists

ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR – European Agreement Concerning the International Carriage of Dangerous Goods by Road

ATE - Acute Toxicity Estimate

BCF - Bioconcentration Factor

BEI - Biological Exposure Indices (BEI)

BOD – Biochemical Oxygen Demand

CAS No. - Chemical Abstracts Service Number

CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008

COD – Chemical Oxygen Demand

EC – European Community

EC50 - Median Effective Concentration

EEC – European Economic Community

EINECS – European Inventory of Existing Commercial Chemical Substances

EmS-No. (Fire) - IMDG Emergency Schedule Fire

EmS-No. (Spillage) - IMDG Emergency Schedule Spillage

EU – European Union

ErC50 - EC50 in Terms of Reduction Growth Rate

GHS – Globally Harmonized System of Classification and Labeling of Chemicals

IARC - International Agency for Research on Cancer

IATA - International Air Transport Association

IBC Code - International Bulk Chemical Code

IMDG - International Maritime Dangerous Goods

IPRV - Ilgalaikio Poveikio Ribinis Dydis

IOELV – Indicative Occupational Exposure Limit Value

LC50 - Median Lethal Concentration

LD50 - Median Lethal Dose

LOAEL - Lowest Observed Adverse Effect Level

LOEC - Lowest-Observed-Effect Concentration

Log Koc - Soil Organic Carbon-water Partitioning Coefficient

Log Kow - Octanol/water Partition Coefficient

Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water

NDS - Najwyższe Dopuszczalne Stezenie

NDSch - Najwyższe Dopuszczalne Stezenie Chwilowe

NDSP - Najwyższe Dopuszczalne Stezenie Pulapowe

NOAEL - No-Observed Adverse Effect Level

NOEC - No-Observed Effect Concentration

NRD - Nevirsytinas Ribinis Dydis

NTP – National Toxicology Program

OEL - Occupational Exposure Limits

PBT - Persistent, Bioaccumulative and Toxic

PEL - Permissible Exposure Limit

pH – Potential Hydrogen

REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals

RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail

SADT - Self Accelerating Decomposition Temperature

SDS - Safety Data Sheet

STEL - Short Term Exposure Limit

STOT - Specific Target Organ Toxicity

TA-Luft - Technische Anleitung zur Reinhaltung der Luft

TEL TRK – Technical Guidance Concentrations

ThOD – Theoretical Oxygen Demand

TLM - Median Tolerance Limit

TLV - Threshold Limit Value

TPRD - Trumpalaikio Poveikio Ribinis Dydis

TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in ortsbeweglichen Behältern

TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine

TRGS 900 - Technische Regel für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte

TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte

TSCA - Toxic Substances Control Act

TWA - Time Weighted Average

VOC – Volatile Organic Compounds

VLA-EC - Valor Límite Ambiental Exposición de Corta Duración

VLA-ED - Valor Límite Ambiental Exposición Diaria

VLE – Valeur Limite D'exposition

VME – Valeur Limite De Moyenne Exposition

vPvB - Very Persistent and Very Bioaccumulative

# CF1-141

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

MAK – Maximum Workplace Concentration/Maximum Permissible Concentration

MARPOL - International Convention for the Prevention of Pollution

### Limit Value Legal Basis\*

\*Includes the below and any related regulations/provisions, and subsequent amendments

**EU - 2019/1831 EU in accor. with 98/24/EC** - Directive 2019/1831/EU of October 24, 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 2000/39/EC.

**EU - 2019/1243/EU, and 98/24/EC** - Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work and amendment Regulation (EU) 2019/1243.

**Austria - BGBl. II Nr. 254/2018** - Ordinance on Limit Values for Workplace Substances and on Carcinogens from the Federal Ministry of Economics and Labour, Published in 2003, Appendix 1: Substance List, Published through: Ministry of Economics and Labour of the Republic of Austria amended through the Government Gazette II (BGBl. II) No 119/2004) & BGBl. II No. 242/2006, BGBl. II No. 243/2007, lastly changed through BGBl. I Nr. 51/2011), BGBl. II Nr. 186/2015, BGBl. II Nr. 288/2017 amended by BGBl. II Nr. 254/2018.

**Austria - BLV BGBl. II Nr. 254/2018** - Ordinance on health monitoring at the workplace 2008, published through BGBl. II Nr. 224/2007 by Austria Minister for Labor and Social Affairs, Lastly changed through BGBl. II Nr. 254/2018

**Belgium - Royal Decree 21/01/2020** - Royal decree amending title 1 relating to chemical agents in Book VI of the code of well-being at work, with regard to the list of limit values of exposure to chemical agents and title 2 relating to carcinogens, mutagens and reprotoxics of Book VI of the code of well-being at work (1)

**Bulgaria - Reg. No. 13/10** - Regulation No. 13 of December 30, 2003 on the Protection of Workers from Hazards Related to Exposure to Chemical Agents at Work Labor Code, Annex No.1 Limit values of chemical agents in the air of the working environment, and Annex № 2 Biological limit values of chemical agents and their metabolites (bio markers of exposure) or bio markers of effect Amended by: 71/2006, 67/2007, 2/2012, 46/2015, 73/2018, 5/2020), and Regulation No.10 of September 26, 2003 on the Protection of Workers from the Risks Associated with Exposure to Carcinogens and Mutagens at Work Annex No.1 Occupational Exposure Limits, Amended by: 8/2004, 46/2015, 5/2020

**Croatia - OG No. 91/2018** - Regulation on the Protection of Workers from Exposure to Hazardous Chemicals at Work, the Limit Values of Exposure and the Biological Limit Values. Official Gazette No. 91 of October 12, 2018

**Cyprus - KDP 16/2019** - Government of Cyprus Cabinet of Ministers Regulation 268/2001 - Safety and Health in the Working Environment (Chemical Substances) Article 38, As amended by Regulation 16/2019 and Cabinet of Ministers Regulation 153/2001 - Safety and Health in the Working Environment (Chemical Substances-Carcinogens), as amended by Regulation 493/2004 - Safety and Health in the Working Environment (Chemical Substances - Carcinogens) AND Law 47(I) 2000 - Occupational Health and Safety (Asbestos), as amended by Decree 316/2006.

**Czech Republic - Reg. 41/2020** - Regulation 41/2020 amending Regulation 361/2007 of Coll. establishing Occupation Exposure Limits as amended

**Czech Republic - Decree No. 107/2013** - Decree No. 107/2013 Coll., amending Decree No. 432/2003 Coll., laying down the conditions for the application of the work into categories, limit values for the parameters of biological exposure tests, collection of biological material conditions for the implementation of biological exposure tests and requirements for reporting work with asbestos and biological agents

**Denmark - BEK No. 698 of 28/05/2020** - Order on Limit Values for Substances and Materials, The Statutory Order No. 507 of May 17, 2011, Appendix 1 - Limits for air pollution, etc. and Appendix 3 - Biological Exposure Values, Amended by: No. 986 of October 11, 2012, No. 655 of May 31, 2018, No. 1458 December 13, 2019, No. 698 of May 28, 2020

WEL – Workplace Exposure Limit

WGK - Wassergefährdungsklasse

**Greece - PWHSE** - Occupational Exposure Limits - Protection of workers' health and safety from exposure to certain chemical substances during the workday, (latest amendment 82/2018) and Occupation Exposure Limits - Protection of workers' health and safety from exposure to certain carcinogenic and mutagenic chemical substances (latest amendment 26/2020), and Presidential Decree 212/2006 - Protection of workers that are exposed to asbestos.

**Hungary - Decree 05/2020** - 5/2020. (II. 6.) ITM decree on the protection of the health and safety of workers from the risks related to chemical agents

**Ireland - 2020 COP** - 2020 Code of Practice for the Chemical Agents Regulations, Schedule 1

**Italy - Decree 81** - Title IX, Annex XLIII and XXXVIII, Professional Exposure Limits and Annex XXXIX Mandatory Biological Limit Values and Health Monitoring, Article 1, Law 123 of August 3, 2007, Legislative Decree 81 of April 9, 2008, Last amended: January 2020

**Italy - IMDFN1** - Ministerial Decree of August 20, 1999 Final Note (1)

**Latvia - Reg. No. 325** - Cabinet of Ministers Regulation No. 325 - Labour Protection Requirements when Coming in Contact with Chemical Substances at Workplaces, Amended by Cabinet of Ministers Regulation No. 92, 163, 407 and No. 11.

**Lithuania - HN 23:2011** - Lithuanian Hygiene Standard HN 23:2011 Occupational Exposure Limit Values, Amended by Order V-695/A1-272.

**Luxembourg - A-N 684** - Grand-Ducal Regulation of 20 July 2018 amending the Grand-Ducal Regulation of 14 November 2016 concerning the protection of the safety and health of employees against the risks associated with chemical agents in the workplace. Official journal of the Grand-Duke of Luxembourg, A-N°684 of 2018

**Malta - MOSHAA Ch. 424** - Malta Occupational Health and Safety Authority Act: Chapter 424 as amended by: Legal Notice 353, 53, 198, and 57.

**Netherlands- OWCRV** - Occupational Working Conditions Regulation, Limit Values for substances harmful to health, Annex XVIII, Updated from August 1, 2020.

**Norway - FOR-2020-04-060695** - Regulations concerning action and limit values for physical and chemical agents in the working environment and classified biological agents, FOR-2011-12-06-1358, Updated by: FOR-2020-04-06-695, FOR-2020-03-23-402, FOR-2018-12-20-2186, FOR-2018-08-21-1255, FOR-2017-12-20-2353.

**Poland - Dz. U. 2020 Nr. 61** - Regulation of the Minister of Family, Labor and Social Policy of June 12, 2018 on the Highest Allowable Concentrations and Intensities of Factors Harmful to Health in the Work Environment Dz.U. 2018 Nr. 1286 of June 12, 2018, Annex 1 - List of values of the highest permissible chemical concentrations and dust factors harmful to health in the work environment, amended by: Dz. U. 2020 Nr. 61.

**Portugal - Portuguese Norm NP 1796:2014** - Occupational exposure limits and biological exposure indices to chemical agents. Table 1 - Occupational exposure limits and biological exposure indices to chemical agents (OELs), Law Decree 35/2020.

**Romania - Gov. Dec. No 1.218** - Governmental Decision No. 1.218 from 06/09/2006 on the minimum health and safety requirements for protection of workers from the risks related to exposure to chemical agents, Annex No. 1 Mandatory National Occupational Exposure Limit Values for Chemical Agents. Amended by Decision no. 157, 584, 359, and 1.

**Slovakia - Gov. Decree 33/2018** - Government Decree of Slovak Republic 33/2018 on January 17, 2018 amending Government Decree of Slovak Republic 355/2006 about protection of health of employees when working with chemical agents

**Slovenia - No. 79/19** - Regulation for protection of workers against risks related to carcinogenic or mutagenic substances exposure. Annex III - Classification and binding levels of carcinogenic or mutagenic substances for occupational exposure. The Official



# CF1-141

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

**Estonia - Regulation No. 105** - Health and Safety Requirements for the Use of Dangerous Chemicals and Materials Containing Them and Occupational Exposure Limits to Chemical Agents Government of the Republic, Regulation No. 105 of 20 March 2001, Amended 17 October 2019, and 17 January, 2020.

**Finland - HTP-ARVOT 2020** - Concentrations Known to be Hazardous, 654/2020 OEL values 2020 Publications of Ministry of Social Affairs and Health 2020:24 Annexes1, 2 and 3.

**France - INRS ED 984** - Occupational Exposure Limit Values to Chemical Agents in France Published 2016 by the INRS National Institute of Research and Safety Health and safety of work, revised, updated by: Decree 2016-344, JORF No 0119, and Decree 2019-1487.

**France - Decree 2009-1570** - Decree 2009-1570 of December 15, 2009, relative to the control of chemical risk on workplaces.

**Germany - TRGS 900** - Occupational Exposure Limits, Technical Rules for Dangerous Substances, latest amendment March, 2020

**Germany - TRGS 903** - Biological Threshold Limits (BGW-Values), Technical Rules for Dangerous Substances, latest amendment March, 2020

**Gibraltar - LN. 2018/131** - Factories (Control of Chemical Agents at Work) Regulations 2003 LN. 2003/035, amended by LN. 2008/035, LN. 2008/050, LN. 2012/021, LN. 2015/143, LN. 2018/181.

Journal of the Republic of Slovenia, No. 101/2005. Amended by 38/15, 79/19. Regulation for protection of workers against risks related to exposure to chemical substances at the workplace. Republic of Slovenia, No. 100/2001 . Annex I - List of Binding Occupational Exposure Limit Values. Amended by 39/05, 53/07, 102/10, 38/15, 78/18, 78/19

**Spain - AFS 2018:1** - NATIONAL INSTITUTE FOR HEALTH AND SAFETY AT WORK. Occupational exposure limits for chemical agents in Spain. Tables 1 and 3. Latest edition Feb. 2019

**Sweden - AFS 2018:1** - Statute Book of the Swedish Work Environment Authority, AFS 2018:1

The Swedish Work Environment Authority's Ordinance and General Guidance on Hygienic Limit Values

**Switzerland - OLVSNAIF** - Occupational Limit Values 2020 Swiss National Accident Insurance Fund. List of Biological Limit Values (BAT-Werte) and List of MAK Values.

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

Nusil EU GHS SDS (2020/878)